ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 66 • Numbers 1–4 • 1999

Author index

ALLSOPP, B.A.

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

ALLSOPP, M.T.E.P.

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

ALOO, P.A.

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

BASSON, P.A.

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

BEAUCOURNU, J.-C.

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

BEZUIDENHOUT, A.J.

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

BINGHAM, J.

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

BINTA, M.G.

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

BLACKALL, P.J.
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

BOCK, R.E.
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

BOLTON, LORNA A.
Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

BOOMKER, J.
Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

BOTHA, C.J.
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

BOYAZOGLU, P.A.
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

BRAGG, R.R.
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

BRAYTON, K.A.
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

FOGGIN, C.M.
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I.WANDELER and F.W.G. HILL 1–10

CHABO, R.G.
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

CHAPARRO, F.
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

CHEN, X.
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

COETZEE, M.L.
The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

COLLINS, H. MARIA
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

COLLINS, N.E.

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

DE VILLIERS, E.P.

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

DREYER, KARIN

Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

DUNSTERVILLE, M.T.

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

DU PLESSIS, D.H.

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

DU PLESSIS, J.L.

Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

DU PLESSIS, M.

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

ELLIS, C.E.

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

FEHRSEN, J.

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

FERREIRA, F.

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

FOGGIN, C.M.

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

FOURIE, L.J.

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102

GITAU, P.K.

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

GREYLING, J.M.

Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

GROBLER, D.G.

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174

Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

GROENEWALD, H.B.

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

HEATH, R.

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

HENG, N.Y.

Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

HILL, F.W.G.

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

HORAK, I.G.

Parasites of domestic and wild animals in South Africa: XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

HORNER, R.F.

Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

JUNKER, KERSTIN

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

KANYARI, P.W.N.

A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

KAPPMEIER, KARIN

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

KARIUKI, D.P.

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

KATSANDE, T.C.

A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

KEO, C.

Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

KERBER, C.E.
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

KOFI-TSEKPO, MAWULI W.
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

KOK, D.J.
Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

LABUSCHAGNE, LEONIE
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

LOUW, J.P.
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

MABIKACHECHE, LYDIA
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

MAREE, S.
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

MATHAIO, M.
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

MBOGO, S.K.
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

MELTZER, D.G.A.
Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

MICHEL, ANITA L.
Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

MIFLIN, J.K.
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

MOLLOY, J.B.
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

MORE, S.J.
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

MUBANGA, J.
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

MUDENGE, D.
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

MURAGURI, G.R.
Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

MUSHI, E.Z.
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

MWANGI, M.N.
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, T.A. NGATIA and P. NANSEN 47–49

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

NANSEN, P.
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

NAUDE, T.W.
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

NCUBE, C.
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

NDEBELE, R.T.
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

NDEBELE, R.T.
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

NEVILL, E.M.
Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

NGATIA, T.A.
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

NJIRO, S.M.
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

NORVAL, A.
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

NXOMANI, C.
Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

ODENDAAL, M.W.
The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

OELOFSEN, M.J.
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

ONG, S.
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

PEREIRA, M.C.
Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

PIENAAR, J.C.
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

PIENAAR, W.L.
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

RETIEF, ELIZABETH
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

REYERS, F.
Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

REYNES, J.M.
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

RICHARDS, B.
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

ROMITO, M.
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

SCHULTZ, R. ANITRA
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

SOARES, J.L.
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

SOLEY, J.T.
An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

SPENCER, J.A.
Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

STENSON, M.O.
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

SWAN, G.E.
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174

TANNER, M.
Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

THERON, J.
The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

VAN ASWEGEN, G.
Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

VAN DEN BOSSCHE, P.
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

VAN DER LUGT, J.J.
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

VAN DER MERWE, J.S.
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

VAN DER MERWE, P.
Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, and G. VAN ASWEGEN 151–156

VAN DER RYST, E.
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

VAN HOYE, B.
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

VAN WYK, J.A.
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284
A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostrongylus colubriformis* and *Trichostrongylus axei:* Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

VAN WYNGAARDT, W.
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

VILJOEN, G.J.
Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

VILJOEN, P.G.
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

VORSTER, R.J.
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

WANDELER, A.I.
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

WAWERU, J.G.

A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

WELGEMOED, J.M.

Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 66 • Numbers 1–4 • 1999

Subject index

Acaricidal effect

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Adenovirus

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS .. 251–253

Aepyceros melampus

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

African buffalo

Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

African horsesickness virus

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Agglutination test

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Air pollution

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

Air sacs/sacculitis

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

Alofia simpsoni
Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Amblyomma hebraeum
The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Amorphous electron dense bodies
Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46

Anthelmintic resistance
Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Antibodies
Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Antibody
The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Antigen
The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Aqueous extract
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Arthropod parasites
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Attractants
Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Azadirachta indica
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Babesiosis
A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Bats
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Binary fission
Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46

Biochemical changes
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

Boma confined impala
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174

Boophilus microplus

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Botshabelo, Free State

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Botswana

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Bovine

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

Brazil

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Buffalo

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Bursal disease

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Bushveld, South Africa

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Calves

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Cambodia

Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Canine

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS .. 251–253

Canis adustus

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS .. 251–253

Canis familiaris

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

Canis mesomelas

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Cape Province, South Africa

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Caprivi, Namibia

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Cattle

Assessment of cattle owners' perceptions and expectations, and identification of constraints on production in a peri-urban, resource-poor environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 95–102

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Cells

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Cestode

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Chickens

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Chicken IgY

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Chronic stress in impala

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Colour targets

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Communal grazing

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Communal herds

A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

Computer image analysis

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Conventional odour attractants

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Copper

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174

Cosmid

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

Cowdria ruminantium

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

***Cowdria*-infected macrophages**

Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46

Crocodiles

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Cryopreservation

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus, Trichostrongylus colubriformis* and *Trichostrongylus axei:* Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Cultures

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Cynictis pencillata

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Cytotoxin production

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Dexamethasone

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Diptera: Glossinidae

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Distemper virus

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R.HEATH and B. RICHARDS . 251–253

Diverticula

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

DNA

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Dogs

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

Domestic animals

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

Dorper

A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

East Coast fever

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Ecology

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Egg-yolk

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Electron microcopy

Electron microscopy of *Cowdria*-infected macrophages suggests that in the absence of binary fission a mosaic of organisms develops from an amorphous electron dense matrix—J.L. DU PLESSIS 39–46

ELISA

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Epidemiology

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

Equine piroplasmosis

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Exotic chickens

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Fasciola gigantica

A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

Fermenter

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Fleas

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Flies

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Fluorescent antibody test

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Free State, South Africa

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Free-ranging jackals

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Gastro-intestinal parasites

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Geobotanical

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Glossina austeni

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Glossina brevipalpis

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Goats

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

Grass pastures

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Grassland

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Grazing system

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Haemonchus contortus

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostrongylus colubriformis* and *Trichostrongylus axei:* Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

***Haemonchus* spp.**

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Haemophilus paragallinarum

Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

Haemoproteus columbae

Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Helminth parasites

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides,* from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Hepatotoxicity

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Histopathology

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Horse

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Horsesickness

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Hosts

Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Hypophysis

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

IFAT

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Immune response

Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Immunocytochemical study

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Impala

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174

Indigenous chickens

Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Infectious bursal disease

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Infective nematode larvae

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus, Trichostrongylus colubriformis* and *Trichostrongylus axei:* Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Ixodid ticks

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Jackals

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Kenya

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides,* from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

Kikuyu

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Kruger National Park, South Africa

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

Lactation

Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Lake Naivasha, Kenya

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides,* from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Largemouth bass

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides,* from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Larvae

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus, Trichostrongylus colubriformis* and *Trichostrongylus axei:* Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Leiperia
Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Leukotoxin
The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Lice
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mice
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Micropterus salmoides
Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Mites
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mmopane
Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Mongooses
Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Mountain Grassland, South Africa
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Mycobacterium bovis
Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

Mycoplasma gallisepticum
Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

Mycoplasma synoviae
Detection of *Mycoplasma gallisepticum* and *Mycoplasma synoviae* antibodies in the sera of indigenous chickens by rapid serum agglutination test at Mmopane, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 333–334

NAD-dependent/independent isolates
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57

Nagana
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Namaqua rock rat
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Namibia
The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

***Neem* tree**
Effect of an aqueous extract of *Azadirachta indica* on the immune response in mice—S.M. NJIRO and MAWULI W. KOFI-TSEKPO 59–62

Nematodes

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Neurotoxicity

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Nierembergia hippomanica* Miers var. *violacea

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Nile crocodiles

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Odour

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Oligonucleotide probes

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Oloidien Bay, Kenya

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Orbivirus

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Ostriches

An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

Parasites

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Ecological studies of helminth parasites of the largemouth bass, *Micropterus salmoides*, from Lake Naivasha and the Oloidien Bay, Kenya—P.A. ALOO 73–79

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Pasteurella haemolytica

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Pentastomes

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Phnom Penh, Cambodia

Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Pigeons
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Poisoning
Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER .....
Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168
Attempted induction of chronic copper poisoning in boma confined impala—D.G. GROBLER and G.E. SWAN 169–174
Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Polymerase chain reaction
Confirmation that PCR can be used to identify NAD-dependent and NAD-independent *Haemophilus paragallinarum* isolates—J.K. MIFLIN, X. CHEN, R.R. BRAGG, J.M. WELGEMOED, J.M. GREYLING, R.F. HORNER and P.J. BLACKALL 55–57
The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Post-exposure treatment
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Prolactin
Influence of lactation on the prolactin secreting cells of the hypophysis of impala *(Aepyceros melampus)*: An immunocytochemical and computer image analysis study—P. VAN DER MERWE, D.G.A. MELTZER and G. VAN ASWEGEN 151–156

Rabies
The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10
The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23
Characterization and observation of animals responsible for rabies post-exposure treatment in Phnom Penh, Cambodia—J.M. REYNES, J.L. SOARES, C. KEO, S. ONG, N.Y. HENG and B. VAN HOYE 129–133

Ranch calves
The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Red Masai
A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

Reservoir hosts
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Respiratory tract
An anatomical study of the respiratory air sacs in ostriches—A.J. BEZUIDENHOUT, H.B. GROENEWALD and J.T. SOLEY 317–325

Rift Valley fever virus
Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Seasonal abundance
Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Sebekia
Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Sebele, Botswana
Haemoproteus columbae in domestic pigeons in Sebele, Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, M. MATHAIO and R.T. NDEBELE 29–32

Serological

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

Seroprevalence

Seroprevalence of infectious bursal disease in non-vaccinated indigenous and exotic chickens on selected farms around Gaborone, Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO and R.T. NDEBELE 135–137

Sheep

A comparison of serum biochemical changes in two breeds of sheep (Red Masai and Dorper) experimentally infected with *Fasciola gigantica*—J.G. WAWERU, P.W.N. KANYARI, D.M. MWANGI, T.A. NGATIA and P. NANSEN 47–49

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Solanaceae

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

South Africa

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Pentastomid infections in Nile crocodiles (*Crocodylus niloticus*) in the Kruger National Park, South Africa, with a description of the males of *Alofia simpsoni*—KERSTIN JUNKER, J. BOOMKER and LORNA A. BOLTON 65–71

Gastro-intestinal parasites of cattle in the communal grazing system of Botshabelo in the Free State—KARIN DREYER, L.J. FOURIE and D.J. KOK 145–149

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Neurotoxicity in calves induced by the plant, *Nierembergia hippomanica* Miers var. *violacea* Millán in South Africa—C.J. BOTHA, R. ANITRA SCHULTZ, J.J. VAN DER LUGT, ELIZABETH RETIEF and LEONIE LABUSCHAGNE 237–244

Anthelmintic resistance in South Africa: Surveys indicate an extremely serious situation in sheep and goat farming—J.A. VAN WYK, M.O. STENSON, J.S. VAN DER MERWE, R.J. VORSTER and P.G. VILJOEN 273–284

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

The helminths of ranch calves in the North-eastern Mountain Grassland of South Africa—J.P. LOUW 335–338

Strongyloides papillosus

Experimental studies with *Strongyloides papillosus* in goats—J.G. PIENAAR, P.A. BASSON, J.L. DU PLESSIS, H. MARIA COLLINS, T.W. NAUDE, P.A. BOYAZOGLU, J. BOOMKER, F. REYERS and W.L. PIENAAR 191–235

SuperCos1

Cowdria ruminantium DNA is unstable in a Supercos1 library—K.A. BRAYTON, E.P. DE VILLIERS, J. FEHRSEN, C. NXOMANI, N.E. COLLINS and B.A. ALLSOPP 111–117

Supernatant

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Syncerus caffer

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Theileria equi

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Theileria parva

Comparison of indirect fluorescent antibody test and enzyme linked immunosorbent assay in the detection of exposure of cattle to *Theileria parva* in Kenya—G.R. MURAGURI, P.K. GITAU, M.N. MWANGI, S.K. MBOGO and D.P. KARIUKI 119–122

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Ticks

Control of equine piroplasmosis in Brazil—C.E. KERBER, F. FERREIRA and M.C. PEREIRA 123–127

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

The occurrence of *Theileria* and *Cowdria* parasites in African buffalo (*Syncerus caffer*) and their associated *Amblyomma hebraeum* ticks—M.T.E.P. ALLSOPP, J. THERON, M.L. COETZEE, M.T. DUNSTERVILLE and B.A. ALLSOPP 245–249

Toxin secretion

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Trichostrongylus axei

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostrongylus colubriformis* and *Trichostrongylus axei*: Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Trichostrongylus colubriformis

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostrongylus colubriformis* and *Trichostrongylus axei*: Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Trypanosomosis

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Tsetse

The parasitological and serological prevalence of tsetse-transmitted bovine trypanosomosis in the Eastern Caprivi (Caprivi District, Namibia)—P. VAN DEN BOSSCHE, D. MUDENGE, J. MUBANGA and A. NORVAL 103–110

Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 327–332

Evaluation of conventional odour attractants for *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 307–316

Unfrozen infective larvae

A comparison of the infectivity of cryopreserved versus unfrozen infective larvae of *Haemonchus contortus*, *Trichostrongylus colubriformis* and *Trichostrongylus axei*: Results of the Onderstepoort Veterinary Institute and collaborators from 1977 to the present—J.A. VAN WYK 285–289

Vaccine production

The production and evaluation of *Pasteurella haemolytica* leukotoxin in the supernatant of submerged cultures in fermenters—M.W. ODENDAAL and C.E. ELLIS 265–272

Valley Bushveld, South Africa

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Viability

Investigation of the viability of *M. bovis* under different environmental conditions in the Kruger National Park—M. TANNER and ANITA L. MICHEL 185–190

Virus

The use of chicken IgY in a double antibody sandwich ELISA for detecting African horsesickness virus—D.H. DU PLESSIS, W. VAN WYNGAARDT, M. ROMITO, M. DU PLESSIS and S. MAREE 25–28

Could bats act as reservoir hosts for Rift Valley fever virus?—M.J. OELOFSEN and E. VAN DER RYST 51–54

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS

Visual attraction

Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *Glossina austeni* (Diptera: Glossinidae) in South Africa—KARIN KAPPMEIER and E.M. NEVILL 291–305

VP2 gene

Immune responses in a horse inoculated with the VP2 gene of African horsesickness virus—M. ROMITO, D.H. DU PLESSIS and G.J. VILJOEN 139–144

Wild animals

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Parasites of domestic and wild animals in South Africa. XXXVII. Ixodid ticks on cattle on Kikuyu grass pastures and in Valley Bushveld in the Eastern Cape Province—I.G. HORAK 175–184

Wild ruminants

Copper poisoning in wild ruminants in the Kruger National Park: Geobotanical and environmental investigation—D.G. GROBLER 81–93

Copper poisoning in the Kruger National Park: Field investigation in wild ruminants—D.G. GROBLER and G.E. SWAN 157–168

Yellow mongooses

Parasites of domestic and wild animals in South Africa. XXXVI. Arthropod parasites of yellow mongooses, *Cynictis penicillata* (G. Cuvier, 1829)—I.G. HORAK, F. CHAPARRO, J.-C. BEAUCOURNU and J.P. LOUW 33–38

Zimbabwe

The epidemiology of rabies in Zimbabwe. 1. Rabies in dogs (*Canis familiaris*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 1–10

The epidemiology of rabies in Zimbabwe. 2. Rabies in jackals (*Canis adustus* and *Canis mesomelas*)—J. BINGHAM, C.M. FOGGIN, A.I. WANDELER and F.W.G. HILL 11–23

Presence of antibodies to canine distemper virus, canine parvovirus and canine adenovirus type 1 in free-ranging jackals (*Canis adustus* and *Canis mesomelas*) in Zimbabwe—J.A. SPENCER, J. BINGHAM, R. HEATH and B. RICHARDS 251–253

A serological survey of bovine babesiosis in northern and eastern Zimbabwe—T.C. KATSANDE, S.J. MORE, R.E. BOCK, LYDIA MABIKACHECHE, J.B. MOLLOY and C. NCUBE 255–263